### **DEMARKO.** MILITARY VEHICLES

ST 775-24W.H-PA 2023

# We are ready for any mission



We are a family business. We've come a long way from a small workshop in Świętochłowice to production plants of over 20 000 m<sup>2</sup>. We have become a strong, stable and truly recognizable European brand.

We handle every project individually. Our customers always receive professional support and technical advice. They are provided by dedicated project managers and expert staff. We build lasting relationships with our Clients based on full trust. We provide them with stability, calm and safety. Once they share their needs with us, we want them to know we'll take care of the rest.

We know our job and we can do it well.



### Modern production solutions

We rely on optimized production processes, state-of-the-art technology and highly qualified park currently consists of over 40 modern technological background, as well as the systematic retrofitting of production stations highest standards to guarantee the End User

### Tailor-made solutions

Our experience, flexibility and well-established Knowledge and expertise – from design to production, from the beginning to the end.

### Automation and robotization

The degree of automation and robotization are key determinants of the production process innovativeness. Complementing each other, they provide us with the possibility of faster, more accurate and safer production processes as well as cost optimization. The cooperation of machines with automation and software is a key element that gives employees the ability to focus on their core tasks, and guarantees clients reliable just-in-time deliveries.

### Industry and artificial intelligence

Internet of Things (IoT) everything communicates with everything. It's an in-depth digital transformation and automation of production processes, covering the entire supply chain: from placing an order and delivering components for ongoing production, to shipping the goods to clients and after-sales services. The intelligent process control network contributes to significant process optimization and provides access to practically every useful information about the production process at any time and from any place. By implementing artificial intelligence solutions, we have the ability to increase the production efficiency while reducing its costs, thus we are able to respond flexibly to clients' needs.

#### 1 DESIGN

Developed from scratch, the specialized steel construction of the semi-trailer, where the main determinant was superior rigidity that ensures perfect operation on paved roads as

well as in heavy terrain.

### 2 RAMPS

Fully hydraulically controlled ramps with adjustable spacing.

### 3 SUSPENSION

Independent hydraulic suspension with a stroke of 650 mm with a maximum lateral tilt of up to 25°.

### 4 DECK

Innovative patented deck with a variable width in the range of3 000 mm – 3 500 mm.

### 5 **GOOSE NECK**

Stepless adjustment of coupling height in the range of 1 250 mm - 1 650 mm, additionally equipped with load compensation.





### 6 HYDRAULIC SYSTEM


6

Thanks to the proprietary DIS™ (Demarko Independent Suspension) system, the semitrailer is suitable to all road conditions.

# Demarko Independent Suspension<sup>TM</sup>







- · Variable semi-trailer width, adjustable steplessly, hydraulically controlled. The base width is 3 000 mm. When widened, its value increases to 3 500 mm.
- · Nearly perfect kinematics.
- · Maximum platform stabilization the suspension compensates for every tilt.

The coupling height is adjusted hydraulically from 1 250 to 1 650 mm. Load compensation is also possible with a swan neck. Radio control of all trailer functions, variable steering characteristics, adaptive suspension damping, and two independent axle steering circuits, making both counter-rotating and co-rotating turns possible. Automatic wheel calibration.


### Demarko Independent Suspension<sup>TM</sup>

• •

## ST 775-24W.H-PA 2023

#### DIMENSIONS

TL	Total length	16 382 mm	Gr
W	Width	3 000 mm (ex. 3 500 mm)	Se
KH	Coupling height	1 650 mm	Pe
LH	Load deck height	1 100 mm / 1 250 mm	
LL	Lower load deck length	11 460 mm	
UL	Upper load deck length	4 368 mm	LC
FO	Front overhang	670 mm	
RO	Rear overhang	1 294 mm	
RT	Tractor turning radius	3 030 mm	Ма
RA	Semi-trailer turning radius	1 205 mm	Ax
AD	Wheelbase	1 500 mm	
KA	Distance from king pin to 1 <sup>st</sup> axle	4 865 mm	



**DEMARKO.** MILITARY VEHICLES

### ST 775-24W.H-PA 2023

### WEIGHTS

ross vehicle weight emi-trailer weight ermissible payload 96 500 kg 26 500 kg 70 000 kg

#### OADS

aximum 5<sup>th</sup> wheel load xle load 24 000 kg 7 x 12 000 kg





Perfect cooperation of rigid steel structure with independent hydraulic suspension.



Additional safeguard for transporting wheeled vehicles.





### KEY DETAILS

Safety in accordance with MIL-STD-1472F





Load fixtures with a force of 20 000 daN

Installations with ergonomic inspection access.



U

16

### ST 775-24W.H-PA 2023





### ST 775-24W.H-PA 2023



### Service available 24 hours a day

### We are always ready to help!

User is the most important for us! We offer continuous support. Our qualified employees speak several languages and have the latest technical knowledge in mechanics, electrics, hydraulics and pneumatics.

In addition, our 24-hour service includes mechanics with fully equipped vehicles, available on call at any time. They go wherever the User currently needs help. In this way, we can solve even the most difficult problems on the spot.



years of experience in the automotive industry



employees



specialized vehicles delivered



engineers



export countries

### clients by recommendation

of production area



### Cooperation:





We hold the following certificates: ISO 9001:2015, 3834-2 AQAP 2110:2016 LICENCE B-071/2018 NCAGE 99NMH WSK 1334/W/2021





AQAP 2110:2016 PN-EN ISO 9001:2015

ID 9000001681

- ABOUT US





	+	+	+	+	+	+	+	+	+	+	+
	+	+	+	+	+	+	+	+	+	+	+
	+	+	+	+	+	+	+	+	+	+	+
	+	+	+	+	+	+	+	+	+	+	+
	+	+	+	+	+	+	+	+	+	+	+
	+	+	+	+	+	+	+	+	+	+	+
2	+	+	+	+	+	+	+	+	+	+	+
	+	+	+	+	+	+	+	+	+	+	+
		+	+			+	+	+			hr
						.0-	• • •				AQ.
						NO:	R'		ß		e
	1						The se	F	1		
		1						B		4	12
		- 4				- 14 -			Z r	Æ	- 0
		E									
	DEMARKO	MILITAR	Y VEHICLES	6		. 11			F		24
1.6.10		-				~			-		_

We are at your disposal CONTACT

DEMARKO

HEADQUARTER & PRODUCTION FACILITY

PRODUCTION FACILITY BYTOM

DEMARKO, MILITARY VEHICLES