

# DEMARKO. MILITARY VEHICLES

ZSP 06-1





# We are ready for any mission



We are a family business. We've come along the path from a small workshop in Świętochłowice to production plants of over 20,000 m<sup>2</sup>. We have become a strong, stable and truly recognizable European brand.

We handle every project individually. Our customers always receive professional support and technical advice. They are provided by dedicated project managers and expert staff. We build lasting relationships with our Clients based on full trust. We provide them with stability, calm and safety. Once they share their needs with us, we want them to know we'll take care of the rest.

We know our job and we can do it well.




# ZSP 06-1

122 mm barrel for BM-21 and WR-40 LANGUSTA launchers is used to give the missile: flight direction, rotation, and to transport missiles after loading the launcher.

The complete barrel consists of a pipe and a swing bracket for mounting the contact assembly. 122 mm guide for BM-21 and WR-40 LANGUSTA launchers is designed for use at any time of day and year, in normal climatic conditions.



# ZSP 06-1



- 1 ZES 06-01 pipe

4 guide bracket

7 ring
- 2 groove

5 cover

8 bracket
- 3 support plate

6 clamp

## Technical data of the 122 mm barrel

Caliber	122,4 mm
Length	3000 mm
Missile type	M-21OF, M-21 FHD „FENIKS”
Weight of the barrel	26 kg
Operating temperature range	from -40°C to +50°C
Storage temperature range	from -40°C to +50°C

### Basic operating standards:

The life cycle of the product is determined according to the technical condition specified by the technical efficiency parameters in the instructions.

DEMARKO S.A. as a manufacturer of the barrel for BM-21 and WR-40 LANGUSTA launchers provides the following warranty for the period of use and storage of the product:

- 2-year warranty for the barrel in use.
- 10-year warranty for the product stored in original packaging and stored in unheated storage rooms.

### Storage requirements:

The barrels in the factory packaging do not lose their combat properties during transport or storage in unheated storage rooms.

Protective coatings and materials used for maintenance effectively protect the guides against corrosion during use.

34

years of experience  
in the automotive industry

40

engineers

200

employees

12

export countries

12000

specialized vehicles  
delivered


67%

clients by  
recommendation

200000m<sup>2</sup>


of production area

Cooperation:



We hold the following certificates:

- ISO 9001:2015, 3834-2
- AQAP 2110:2016
- LICENCE B-071/2018
- NCAGE 99NMH
- WSK 1334/W/2021







We are  
at your  
disposal

DEMARKO  
Spółka Akcyjna


HEADQUARTER  
& PRODUCTION FACILITY  
ul. Sądowa 19  
PL 41-605 Świętochłowice

PRODUCTION FACILITY BYTOM  
ul. Kolonia Zygmunt 27, 31 B-C,  
PL 41-909 Bytom

Tel. +48 32 770 01 12  
Fax. +48 32 706 90 96  
[info@demarko-military.com](mailto:info@demarko-military.com)

[demarko-military.com](http://demarko-military.com)





**DEMARKO.** MILITARY VEHICLES